PHOTOGRAPHIC INTERPRETATION REPORT

MISSION COVERAGE INDEX

NPIC/R-1606/64

October 1964


MISSION 5030 27 OCTOBER 1964

25X1A





NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



Approved For Release 2000/04/1/2000 A-RDP78B04560A004100010026-5

GROUP I Excluded from automatic

SECRET NO FOREIGN DISSEM

NPIC/R-1606/64

PREFACE

25X1A

THIS MISSION COVERAGE: INDEX (MCI) LISTS THE INTELLIGENCE TARGETS IMAGED ON THE PHOTOGRAPHY OF MISSION 5030 DATED 27 OCTOBER 1964 COVERING CHINA.

ITEMS ARE ARRANGED IN THREE SECTIONS --

SECTION I PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

SECTION II PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS NAC AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

SECTION III PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED.

TARGETS IN EACH SECTION ARE ARRANGED 1) BY COUNTRY, 2) WITHIN THE COUNTRY ACCORDING TO SUBJECT, 3) WITHIN THE SUBJECT BY WAC AREA, AND 4) WITHIN THE WAC AREA BY GEOGRAPHIC COORDINATES IN ASCENDING ORDER. AN

SECRET NO FOREIGN DISSEM

NPIC/R-1606/64

EXPLANATION OF COLUMN HEADINGS AND PHOTO REFERENCES USED IN PRESENTING THE INFORMATION IS CONTAINED IN THE APPENDIX. THE MAP BASE USED (WHEN AVAILABLE) FOR THE DERIVATION OF COORDINATES IN THIS MCI IS THE LATEST EDITION OF THE AMS SERIES 1500 AND 1509, SCALE 1/250,000, AND THE ATC SERIES 200, SCALE 1/200,000.

THE USER OF THIS MCI IS CAUTIONED THAT THE SCAN OF PHOTOGRAPHY WAS ACCOMPLISHED IN A RELATIVELY SHORT TIME AND DFTEN WITHOUT THE AID OF PRECISE ANALYTICAL AND MENSURAL TECHNIQUES COMMONLY EMPLOYED IN DETAILED PHOTOGRAPHIC ANALYSIS. CONSEQUENTLY, ALTHOUGH THE INFORMATION PRESENTED HEREIN IS ESSENTIALLY ACCURATE, ADDITIONAL, DETAILED ANALYSIS MAY SOMEWHAT ALTER PORTIONS OF THE INFORMATION.

Approved For Release 2000/04/17 : CIA-RDP78B04560A004100010026-5 SECTION I THIS SECTION PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVI-OUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

SECRET NO FOREIGN DISSEM

NPIC/R-1606/64

T		Coordinates		Target	Target Numbers		
Target	Coordinates		WAC	BE	NPIC		
-CHINA-							
HAI-KOU AIRFIELD ONE NM SOUTH OF HAI-KOU AND ONE NM NORTH OF CHIUNG-CHOU. NO APPARENT CHANGE SINCE MISSION 25X1D AIRCRAFT 29 FAGOT/FRESCO, 2 BEAGLES, ONE CRATE, AND 2 COLT.	2001N	11021E	Ø615	25X1A	6-A		
COMOR TARGET NO 25X1A 25X1D CHAN-CHIANG AIRFIELD 3.5 NM SOUTH OF CHIH-KAN AND 3 NM NW OF CHAN-CHIANG. TWO SERVICEABLE RUNWAYS APPROXIMATELY 6.000 X 150 FT NNW/SSE HARD-SURFACED AND 4.000 X 150 FT ENE/WSW PROBABLE SOD.	2113N	11020E	Ø615	25X1A	1-E		
TAXIWAYS TO PARKING APRON EAST OF NNW/SSE RUNWAY. OPERATIONS AND ADMINISTRATION BUILDINGS ENE OF PARKING APRON. AIRCRAFT NONE OBSERVED. COMOR TARGET NO 25X1A 25X1D				25X1A			
LEI-PEI AIRFIELD 3 NM.WNW OF LEI-PEI. NO APPARENT CHANGE IN FACILITIES SINCE MISSION EXCEPT THE DEFENSES INCLUDE 5 PROBABLE LIGHT 6-GUN AAA SITES (REFERENCED FROM THE CENTER OF THE RUNWAY)	2124N	11012E	Ø615		17		

25X1D

SECRET

SECRET NO FOREIGN DISSEM

NPIC/R-1606/64

	WAC	WAC Target Num	
Coordinates		BE	NPIC
11Ø25E	Ø615	25X1A	1-D
_			

SECRET NO FOREIGN DISSEM

REIGN DISSEM			WAC	Target	Numbers
Target	Coor	dinates	"AC	BE	NPIC
I-PEI AREA, MILITARY AREAS FOUR MILITARY AREAS IN LEI-PEI VICINITY.	2122N 11016E		Ø615		35
AREAS A & B CLOUD-COVERED.					
AREA C NOT COVERED.					
AREA D NO APPARENT CHANGE SINCE 25X1D COMOR TARGET NO 25X1A					
25X1A 25X1D					9-
U-LIN NAVAL BASE AND PORT AT YU-LIN AND ON BOTH BANKS OF THE YU-LIN ESTUARY. THE NAVAL BASE (ON WEST BANK) CONTAINS NUMEROUS BARRACKS, ADMINISTRATION AND SUPPORT BUILDINGS. FACILITIES INCLUDE A QUAY, A PIER AND 6 MARINE RAILWAYS. AT LEAST 12 UNDERGROUND ENTRANCES INTO HILLSIDE OBSERVED IMMEDIATELY SOUTH OF BASE. DEFENSES INCLUDE EIGHT 8-GUN OCCUPIED AAA SITES AND TWO 4-GUN OCCUPIED COASTAL DEFENSE SITES. THE RAIL-SERVED PORT FACILITY (ON EAST BANK) CONTAINS A QUAY, A PIER, NUMEROUS SUPPORT BUILDINGS AND A POL STORAGE AREA WITH 3 VERTICAL STORAGE TANKS. VESSELS 3 KRONSHTADT PC, 2 LANDING CRAFT LSIL/LSSL, 2 PROBABLE SHANGHAI CLASS PTF, ONE PROBABLE LCU (BRITISH LCT(3) CLASS), ONE UNIDENTIFIED PC, 2 P-4 CLASS PT, 8 PROBABLE P-4 CLASS PT, ONE POSSIBLE OILER, AND 3 COASTAL FREIGHTERS.	1813N	10931E	Ø618		

SECRET NO FOREIGN DISSEM

OREIGN DISSEM			Target Numbers		
Target	Coordinates	WAC	BE	NPIC	
(SEE ATTACHMENT 2) COMOR TARGET NO 25X1A 25X1D YU-LIN AREA, MILITARY AREAS TWO MILITARY INSTALLATIONS IMMEDIATELY EAST AND WEST OF YU-LIN CHIANG (HARBOR) ENTRANCE.	1813N 1Ø933E	Ø618		9 - C	
AREA A (EAST ENTRANCE OF HARBOR AT 18-13N 109-33E) 3 BARRACKS AND ONE 4-GUN CD POSITION WITH A FIRE CONTROL POSITION AND A REVETTED PROBABLE EXPLOSIVES BUILDING. A REVETTED PROBABLE EXPLOSIVES BUILDING					
AND A MOTOR POOL OBSERVED. AREA B (WEST ENTRANCE OF HARBOR AT 18-12N 109-32E) 3 BARRACKS AND ONE 4-GUN CD POSITION WITH A PROBABLE FIRE CONTROL POSITION AND A FORWARD OBSERVATION POST.					
EIGHT 8-GUN OCCUPIED AAA SITES (REFERENCED FROM YU-LIN NAVAL BASE QUAY) SITE A (Ø.6 NM SE) SITE B (Ø.9 NM SE) SITE C (ONE NM NW)		·			
SITE C (ONE NM NORTH) SITE E (1.3 NM EAST) SITE F (1.9 NM EAST) SITE G (0.9 NM EAST) SITE H (ONE NM WEST)					
25X1D YU-LIN ARMY BARRACKS NORTH 5 NM NNE OF YU-LIN.	1817N 1Ø933E	Ø618	25X1A	9-	

SECRET NO FOREIGN DISSEM

SECRET NO FOREIGN DISSEM

NPIC/R-1606/64

O FOREIGN DISSEM		WAC	Target l	Numbers
Target	Coordinates	WAC	BE	NPIC
AREA CONTAINS AT LEAST 6 BARRACKS AND 13 OTHER BUILDINGS. 25X1D YAI-HSIEN ARMY BARRACKS NORTHEAST 6 NM NNE OF YAI-HSIEN. SECURED AREA CONTAINS 28 BARRACKS, 4 PROBABLE BARRACKS, ONE POSSIBLE BARRACKS, 11 STORAGE BUILDINGS, ONE POSSIBLE STORAGE BUILDING, ONE STORAGE/SUPPORT BUILDING, 4 ADMINISTRATION BUILDINGS, 4 ADMINISTRATION/ SUPPORT BUILDINGS, ONE ADMINISTRATION/ BARRACKS, AND 29 SUPPORT BUILDINGS. AN AREA COVERING APPROXIMATELY 30 ACRES PROBABLY UTILIZED FOR LOCAL TRAINING	1819N 1Ø931E	Ø618	25X1A	5-D
ADJOINS THE SW CORNER OF THE INSTALLATION. 25X1D PORTS AND HARBORS CHAN-CHIANG PORT FACILITIES 25X1A FACILITIES INCLUDE ONE LARGE QUAY JUST WEST OF CHAN-CHIANG NAVAL BASE AND A POL STORAGE FACILITY CONTAINING 4 LARGE STORAGE TANKS, 25 MEDIUM STORAGE TANKS, 2 SMALL STORAGE TANKS, AND 8 MEDIUM UNDERGROUND STORAGE TANKS CONNECTED TO ONE T-HEAD PIER AND 2 FINGER PIERS. FOUR LARGE RAIL-SERVED WAREHOUSES AND NUMEROUS SMALLER BUILDINGS OBSERVED. VESSELS 2 FREIGHTERS AT QUAY AND ONE FREIGHTER UNDERWAY IN HARBOR. 25X1D	2111N 11Ø23E	Ø615	25X1A	1-8

SECRET

SECRET NO FOREIGN DISSEM

	6 1	WAC	Target Numbers		
Target	Coordinates	#AC	BE	NPIC	
URBAN COMPLEXES CHIN-HSIEN COMPLEX COMPLEX, APPROXIMATELY 2 SQ MI IN AREA, ON THE CHIN CHIANG (RIVER) CONTAINS NUMEROUS RESIDENTIAL-TYPE BUILDINGS AND SEVERAL LIGHT INDUSTRIES.	2157N 1Ø837E	Ø615	25X1A	3	
25X1D			25X1A		
NAN-NING COMPLEX COMPLEX 70 PER CENT CLOUD COVERED. NUMEROUS LIGHT INDUSTRIES, A CLASSIFICATION YARD, A BOATYARD, AN AIRFIELD, AND NUMEROUS BARRACKS AREAS OBSERVED. COMOR TARGET NO 25X1A SC 25X1D	2249N 1Ø819E	Ø615		14	

SECTION II

THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS "NAC" AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

Target

YU<u>-LIN AMMO DEPOT YAI-HSIEN</u> SE PUG

YU-LIN AREA, MILITARY INSTALLATIONS

-CHINA-						
AIR -INSTALLATIONS				25X1A		ļ
NAN-NING AIRFIELD 25X1A	2249N	1Ø82ØE	Ø615		14-C	
COMOR TARGET NO 25X1D						
MILITARY INSTALLATIONS						
CHIUNG-CHOU AREA, MILITARY BARRACKS	2000N	11Ø2ØE	Ø615	05)/44	4-A	
CHIUNG-CHOU ARMY SUPPLY DEPOT NORTHWEST COMOR TARGET NO 25X1A	2ØØ1N	11Ø16E	Ø615	25X1A	6-D	
CHAN-CHIANG AREA, MILITARY INSTALLATION COMOR TARGET NO 25X1A	2116N	11Ø19E	Ø615		1-H	
YAI-HSIEN AREA, MILITARY INSTALLATIONS 25X1D	1812N	1Ø929E	Ø618		5-C	
YU-LIN AREA, MILITARY BARRACKS	1813N	1Ø931E	Ø618	05)/4.1	9-J	
25X1D			ı	25X1A	1	1

SECRET NO FOREIGN DISSEM

32

9-1

NPIC/R-1606/64

NPIC

Target Numbers

ВE

WAC

Coordinates

1816N 1Ø929E

182ØN

1Ø937E

Ø618

Ø618

SECRET NO FOREIGN DISSEM

25X1D

25X1D

EIGN DISSEM		T			Target N	umbers
Target		Coord	linates	WAC	BE	NPIC
ECTRONICS/COMMUNICATIONS						
HIUNG-CHOU AREA, RADIO STATION	25X1D	1959N	11Ø21E	Ø618		38
RBAN COMPLEXES	25X1D	2ØØ2N	11020E	Ø615	25X1A	6
HAN-CHIANG COMPLEX	25X1D	2112N	11Ø23E	Ø615		1
U-LIN COMPLEX	25X1D	1814N	10930E	Ø618		9

Approved For Release 2000/04/17 : CIA-RDP78B04560A004100010026-5 SECTION III THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTI-FIED BUT NOT INTERPRETED.

SECRET NO FOREIGN DISSEM

Target Numbers		
NPIC		
6-C		

NPIC/R-1606/64

APPENDIX

COLUMN HEADINGS

City, Installation--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

<u>Coordinates</u>--Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

<u>WAC</u>--This column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to

WAC. For example, there is an NPIC target number 0499-15-A and an NPIC target number 0498-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.


PHOTO REFERENCE DATA

The photo reference data indicates the frame(s) on which the installation appears.

CONDITIONS AFFECTING PHOTOGRAPHY


Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered clouds); HC (heavy clouds); SC-HC (scattered-to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-darkness); O (obliquity); and PQ (poor image quality).

Approved For Release 2000/04/18ECREA-RDP78B04560A004100010026-5 ATTACHMENT 1



LEI-PEI AIRFIELD, CHINA

Approved For Release 2000/04/13:00#A-RDP78B04560A004100010026-5 NPIC/R-1606/64 ATTACHMENT 2



NAVAL BASE AND PORT, YU-LIN, CHINA